Cixi Meiteng Electrical Appliance Co., Ltd

Alex Xu Wechat:+86 13780093477

About us

Cixi Meiteng Electrical Appliance Co., Ltd. founded in 2012., We are professional Garment steamer and Vacuum cleaner supplier.We are located in Ningbo City, Zhejiang Province, China, with Ningbo Port and convenient transportation.We mainly have almost 50 fashion and hot selling designs,We have more than 100 workers in 6 production lines and 20 Q C person, automatic machine,and our experienced R and D can accept O E M and O D M. Various garment steamer,Vacuum cleaner and control circuit board for intelligent household appliance with international quality that can meet C E,R O H S,C B,U L standard and obtain relative certificate.Selling well in all cities and provinces around China, our products are also exported to clients in such countries and regions as Oceania, Western Europe, Africa and Northern America.

Our value are "Product is character and Quality is our culture", with a variety of products and competitive price and excellent sense to market, Adhering to the business principle of mutual benefits, we have had a reliable reputation among our customers because of our professional services, quality products and competitive prices. We have excellent teams who focus on product development and design, quality control and inspection and company running. Whether selecting a current product from our catalog or seeking engineering assistance for your application, you can talk to our customer service center about your sourcing requirements. We warmly welcome customers from at home and abroad to establish cooperation and create a bright future with us together.

Workshop Display



Exhibition



Certificate

| | | | Ref. Certif. No. FR_710939 | | A |
|--------------|--|---|--|---|--|
| | CERTIFICATE | IEC SYSTEM FOR MUTUAL RECOGNITIO (IECEE) CB SCHEME | N OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT | | CERTIFICATE of Conformity EC Council Directive 2014/30/EU |
| Precise Mark | CERTIFICATE FOR QUALITY MANAGEMENT SYSTEM | CB TEST CERTIFICATE | | | Electromagnetic Compatibility |
| | Certificate No.: 54221Q0121R0S | Product | Fabric steamers Gament Steamer | | |
| | This is to certify that Cixi Meiteng Electrical Appliance Co., Ltd | Name and address of the applicant | Cisi Mellong Electrical Appliance Co., Ltd. No. 28, Taspoling, Ditang Street, Yuyao, Ningko, Zhejiang - CHINA | | Registration No.: AE 50545391 0001 Report No.: CN22WP5Z 001 |
| | Undfrem Social Crocks Code: 91330282316192105E Registration Address: 174 Rancjistra West District, Ginyan village, Henghe Torw, Giri, Citz, Zheiman Dhra | Name and address of the manufacturer | Cixi Melleng Electrical Appliance Co., Ltd. No. 28, Taopoling, Dilang Sireet, Yuyao, Ningbo, Zhejiang - ChiNA | Holder: | Cixi Melteng Electrical Appliance |
| | Business address: No. 28, Teopoling, Ditang Street Ningbo Zhejiang Dhina | Name and address of the factory | Cital Melleng Electrical Appliance Co., Ltd. No. 28. Toppoling, Dilarg Street, Yuyee, Ninglio, Zhejiang ChtNik | | Co., Ltd. No.174 Wangjiafan West District, Qinyan village, Henghe Town, Cixi City, |
| | Has complied with the requirements of | Note: When more than one factory, please report on page 2 | Additional Information on page 2 | | 315318 Zhejiang P.R. China |
| | GB/T19001-2016/ISO9001:2015 | Ratings and principal characteristics | See Arnex | Product: | Steam Generator |
| | This certificate is valid for the following scope Production of garment steamer (without PCB board) | Trademark / Brand (if any) | · | Identification: | (Garment Stearner) 1/7-X7 20-MT01 20-MT03 2D-758 LT-6828 |
| 10 | | Customer's Testing Facility (CTF) Stage used | , | | 17-9228 17-6829-3 Berial So.: n.s. |
| | Initial Certification: August 17(1),3021 | Model / Type Ref. | See Arnex | | Remark: Befer to test report CN22MP52 001 for details. |
| | Date of Issee: August 170.2021 Date of Expry: August 190.2024 Analytics of annihum | Additional information (If necessary may also be reported on page 2) | Additional Information on page 2 | Tested acc. to: | HN INC 55014-1:2021 HN INC 55014-2:2021 HN INC 61000-3:2019:413 HN 61000-3-3:2019:4143 |
| | Manual Signed by 31 34, 2- | A sample of the product was tested and found to be in conformity with | IEC 60335-12010 +A1:2013 +A2:2016 IEC 60335-2-852002 +A1:2008 +A2:2017 | Technical Report and do tested sample is in cont | mity is based on an evaluation of a sample of the above mentioned product. cumentation are at the Licence Holder's disposal. This is to certify that the omity with all provisions of Annex I of Council Directive 2014(30)(U, |
| | | As shown in the Test Report Ref. No. which forms part of this Certificate | C2106218 | the use of a TÜV Pheir | imply assessment of the production of the product and does not permit and mark of conformity. The holder of the certificate is authorized to use tion with the EC declaration of conformity according to the a.m. Directive. |
| _ <u></u> | Elizadore de la contrata locar o la contrata de la | This CB Test Certificate is issued by the Na | tional Certification Body | | Certification Body |
| | voltige of the entities are the trapeol of the voltation of CVACE traves craces are card, the control tests is not obtained are and the second production by the second in the second production by the seco | LCIE = Laboratoire Central des 33. avenue du Général Ledecc FR 92 206 Fontenay aux Roses <u>trem Icir. 1</u> | - 020 | TÜV Rheinland LO | Yalei Wang SA Products GmbH - Tillystraße 2 - 90431 Nürnberg |
| | CMCA approxi Vanises (Vict. A.B. W. S. H.B. Adams, Ram (ML, Nr. 1897 opp. Real, Yanar, Naugher (Vict. H.B. H.B. Hadrer, enc., prosperation), or | Date: 08/03/2021 | Signature Cettilication Officer | <i>((</i> | y only be used if all relevant and effective EC Directives are complied with CF |
| | | | | C The CE marking ma | y only be used it all relevant and effective EC Directives are complied with. (E |
| | | | | | |
| | | | | | |



Rated Voltage:220-240V 50/60Hz 1200w Color: Green or customized Product size: 16.7*8.6*23cm Water Tank: 100ml Product N.W :0.7kgs Steam Flow: 12-18g/min Length of Power Cord:1.5m HS code:85164000 One piece/ Gift Box ; 20pcs/ Master Carton Gift box size: 24.5*11*13cm Carton size:57.5*50.529cm Carton weight: 16kgs



- Foldable & Portable Powerful & Fasting heating
- One Button Design
- Anti-spill & Anti-leak All-purpose fabric support

| 20GP | | 40 | GP | 40HQ | |
|------|------|-----|-------|------|-------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 320 | 6400 | 640 | 12800 | 800 | 16000 |

ZG-MT02

Rated Voltage:220-240V 50/60Hz 1200w Color: White or customized Product size: 18*8.2*21.5cm Water Tank: 150ml Product N.W:0.7 Steam Flow: 12-18g/min Length of Power Cord:1.5m HS code:85164000 One piece/ Gift Box ; 20pcs/ Master Carton Gift box size: 24.5*11*13cm Carton size:57.5*50.529cm Carton weight: 16kgs



| ٠ | Foldable & Portable |
|---|---------------------|
| | |

Powerful & Fasting heating

| One Button Design | | Anti-spill & Anti-leak | | All-purpose fabric support | |
|-------------------|------|------------------------|-------|----------------------------|-------|
| 20GP | | 40GP | | 40HQ | |
| CTN | PCS | CTN | PCS | CTN | PCS |
| 345 | 6900 | 690 | 13800 | 838 | 16760 |

Rated Voltage:220-240V 50/60Hz 1200w Color: White or customized Product size: 17.6*8.6*21cm Water Tank: 130ml Product N.W :0.7kgs Steam Flow: 12-18g/min Length of Power Cord:1.5m HS code:85164000 One piece/ Gift Box ; 20pcs/ Master Carton Gift box size: 24.5*11*13cm Carton size:57.5*50.529cm Carton weight: 16kgs



- Foldable & Portable Powerful & Fasting heating
- One Button Design

Anti-spill & Anti-leak All-purpose fabric support

| 20GP | | 40 | GP | 40HQ | |
|------|------|-----|-------|------|-------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 320 | 6400 | 640 | 12800 | 800 | 16000 |

ZG-MT04

Rated Voltage:220-240V 50/60Hz 1200w Color: White or customized Product size: 16.7*8.6*23cm Water Tank: 100ml Product N.W:0.7 Steam Flow: 12-18g/min Length of Power Cord:1.5m HS code:85164000 One piece/ Gift Box ; 20pcs/ Master Carton Gift box size: 24.5*11*13cm Carton size:57.5*50.529cm Carton weight: 16kgs



Foldable & Portable

Powerful & Fasting heating

| • One B | utton Design | Anti-spill & Anti-leak | | All-purpose fabric support | |
|---------|--------------|------------------------|-------|----------------------------|-------|
| 20GP | | 40GP | | 40HQ | |
| CTN | PCS | CTN | PCS | CTN | PCS |
| 345 | 6900 | 690 | 13800 | 838 | 16760 |

Rated Voltage:220-240V 50/60Hz 1000w 100-127V 50/60Hz 1000w Color: Green,White or customized Product size: 18*17cm Water Tank: 100ml Product N.W :0.7kgs Steam Flow: 13-15g/min Length of Power Cord:1.7m HS code:85164000 One piece/ Gift Box ; 20pcs/ Master Carton Gift box size: 22.5*12*10cm Carton size:42*25*64cm Carton weight: 16kgs





- Foldable & Portable
- Powerful & Fasting heating
- One Button Design
- Anti-spill & Anti-leak
- All-purpose fabric support

| 20GP | | 40 | GP | 40HQ | |
|------|------|-----|-------|------|-------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 345 | 6900 | 690 | 13800 | 838 | 16760 |

RX-20

Rated Voltage:220-240V 50/60Hz 30w Color: Green,Deep Blue or customized Product size: 22*10*10cm Water Tank: 100ml Max temperature: 180°C Heating up time:60S Length of Power Cord:1.68m HS code:85164000 One piece/ Gift Box ; 20pcs/ Master Carton Gift box size: 22.5*12*10cm Carton size:42*25*64cm Carton weight: 14kgs



 20GP
 40GP
 40HQ

 CTN
 PCS
 CTN
 PCS

 345
 6900
 690
 13800
 838
 16760

Product Size:16*12*28cm

Color: White, Green and Purple

Rated Voltage:220-240V~,50Hz 1300W

Water Tank: 280ml

Product N.W: 1.0kgs

Steam Flow: 18±5g/min

Lenght of Power Cord :1.7m

Accessories: water cup+manual+brush

HS code:85164000

One pcs/box; 12pcs/ctn

Box size:20*15*30 cmcm

12pcs/ctn

Carton size:45*36*64cm

Carton weight:13.6kgs

- Suit for Travel & Portable
- Powerful & Fasting heating
- Anti-spill & Anti-leak
- All-purpose fabric support
- Compact and convenient for storage

| 20GP | | 40 | GP | 40HQ | |
|------|------|-----|------|------|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 270 | 3240 | 540 | 6480 | 655 | 7860 |







RX-218

Rated Voltage:220-240V 50/60Hz 1100w 100-127V 50/60Hz 950w Color: Green, Purple or customized Product size: 19*9.5*12cm Water Tank: 110ML Product N.W :1.4kgs Steam Flow: 20g/min Length of Power Cord:1.7m HS code:85164000 One piece/ Gift Box ; 15pcs/ Master Carton Gift box size: 27*20*13cm Carton size:62*27*66.5cm Carton weight: 19.5kgs



- Suit for Travel & Portable
- Powerful & Fasting heating
- Anti-spill & Anti-leak
- All-purpose fabric support
- Compact and convenient for storage

| 20GP | | 40 | GP | 40HQ | |
|------|------|-----|------|------|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 240 | 3600 | 480 | 7200 | 580 | 8700 |





Rated Voltage:220-240V 50/60Hz 1800w Color: White,Red or customized Product size: 38*30*26cm Water Tank: 1.6L Product N.W :5.4kgs Steam Flow: 32-35g/min Length of Power Cord:1.5m Length of adjustable aluminum tube:1m Length of steam hose:1.35m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 42.7*36.2*38cm Carton size:74*44*39.5cm Carton weight: 12kgs



- Heats Up in Just 45 Seconds
- 50 Minutes of Steady Steam Output to Remove Stubborn Wrinkles
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty
- Get More Tank Capacity with our 1.6L
- Accessories: Glove, Ironing Board

| 20GP | | 40 | GP | 40HQ | |
|------|-----|-----|-----|------|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 222 | 444 | 416 | 832 | 505 | 1010 |





Rated Voltage:220-240V 50/60Hz 1800w Color: Red,Blue or customized Product size: 24*24*34cm Water Tank: 1.8L Product N.W :4.7kgs Steam Flow: 32-35g/min Length of Power Cord:1.5m Length of adjustable aluminum tube:1.3m Length of steam hose:1.32m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 38.5*29*35cm Carton size:60*45*38cm Carton weight: 11kgs



- Heats Up in Just 45 Seconds
- 50 Minutes of Steady Steam Output to Remove Stubborn Wrinkles
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty
- Get More Tank Capacity with our 1.8L
- Accessories: Glove, Ironing Board

| 20GP | | 40 | GP | 40HQ | |
|------|-----|-----|------|------|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 255 | 510 | 510 | 1020 | 620 | 1240 |





LT-6828-3

Rated Voltage:220-240V 50/60Hz 1800w Color: Red,Blue or customized Product size: 24*24*34cm Water Tank: 1.6L Product N.W :4.4kgs Steam Flow: 32-35g/min Length of Power Cord:1.5m Length of Adjustable aluminum tube:1.3m Length of steam hose:1.32m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 46*30.5*32.5cm Carton size:66*48.5*35.5cm Carton weight: 10.5kgs



- Heats Up in Just 45 Seconds
- 50 Minutes of Steady Steam Output to Remove Stubborn Wrinkles
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty
- Get More Tank Capacity with our 1.6L
- Accessories: Glove, Ironing Board

| 20GP | | 40 | GP | 40HQ | |
|------|-----|-----|-----|------|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 242 | 484 | 484 | 970 | 590 | 1180 |





ZD-758

Rated Voltage:220-240V 50/60Hz 1800w Color: Red,Blue,White or customized Product size: 24*24*34cm Water Tank: 1.6L Product N.W :4.1kgs Steam Flow: 32-35g/min Length of Power Cord:1.5m Length of adjustable aluminum tube:1.2m Length of steam hose:1.22m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 38*28*34cm Carton size:56.5*38.5*36.5cm Carton weight: 9.0kgs



- Heats Up in Just 45 Seconds
- 50 Minutes of Steady Steam Output to Remove Stubborn Wrinkles
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty
- Get More Tank Capacity with our 1.6L
- Accessories: Glove, Ironing Board

| 20 | GP | 40GP 40HQ | | HQ | |
|-----|-----|-----------|------|-----|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 332 | 664 | 665 | 1330 | 808 | 1616 |





Rated Voltage:220-240V 50/60Hz 1800w Color: Red,Blue,White or customized Product size: 24*24*34cm Water Tank: 1.8L Product N.W :4.4kgs Steam Flow: 32-35g/min Length of Power Cord:1.5m Length of adjustable aluminum tube:1.2m Length of steam hose:1.22m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 38.5*29*35cm Carton size:60*39.5*36.5cm Carton weight: 9.5kgs



- Heats Up in Just 45 Seconds
- 50 Minutes of Steady Steam Output to Remove Stubborn Wrinkles
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty
- Get More Tank Capacity with our 1.8L
- Accessories: Glove, Ironing Board

| 20 | GP | 40GP 40HQ | | HQ | |
|-----|-----|-----------|------|-----|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 318 | 636 | 634 | 1268 | 770 | 1540 |





Rated Voltage:220-240V 50/60Hz 1800w Color: Pink,Blue,White or customized Product size: 30*26*26cm Water Tank: 1.4L Product N.W :4.0kgs Steam Flow: 32-35g/min Length of Power Cord:1.5m Length of adjustable aluminum tube:1.2m Length of steam hose:1.22m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 39*29*36cm Carton size:60*40*37cm Carton weight: 8.5kgs



- Heats Up in Just 45 Seconds
- 50 Minutes of Steady Steam Output to Remove Stubborn Wrinkles
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty
- Get More Tank Capacity with our 1.4L
- Accessories: Glove, Ironing Board

| 20 | 20GP | | 40GP | | HQ |
|-----|------|-----|------|-----|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 310 | 620 | 620 | 1240 | 754 | 1508 |





LT-X7

Rated Voltage:220-240V 50/60Hz 1800w Color: Pink,Blue,White or customized Product size: 24*24*31cm Water Tank: 1.6L Product N.W :4.0kgs Steam Flow: 32-35g/min Length of Power Cord:1.5m Length of Power Cord:1.5m Length of adjustable aluminum tube:1.3m Length of steam hose:1.32m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 43.5*29.5*37cm Carton size:60*44.5*38cm Carton weight: 9.0kgs



- Heats Up in Just 45 Seconds
- 50 Minutes of Steady Steam Output to Remove Stubborn Wrinkles
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty
- Get More Tank Capacity with our 1.6L
- Accessories: Glove, Ironing Board

| 20 | GP | 40 | GP | 40 | HQ |
|-----|-----|-----|------|-----|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 270 | 540 | 543 | 1086 | 660 | 1320 |



LT-121B

Rated Voltage:220-240V 50/60Hz 2000w Color: White or customized Product size: 24*24*31cm Water Tank: 1.8L Product N.W :4.0kgs Steam Flow: 30g/min Length of Power Cord:1.5m Length of adjustable aluminum tube:1.3m Length of steam hose:1.32m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 40*28*31.8cm Carton size:58*42*33cm Carton weight: 9.0kgs



- Heats Up in Just 45 Seconds
- 60 Minutes of Steady Steam Output to Remove Stubborn Wrinkles
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty
- Get More Tank Capacity with our 1.8L
- Accessories: Glove, Ironing Board

| 20 | GP | 40 | GP | | |
|-----|-----|-----|------|-----|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 350 | 700 | 700 | 1400 | 850 | 1700 |



LT-688-2

Rated Voltage:220-240V 50/60Hz 2000w Color: red or customized Heating time:30 seconds Water Tank: 1.7L Product N.W :4.0kgs Product G.W :4.6kgs Steam Flow: 32-37g/min Length of steam hose:1.5m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 38.5*28.5*37cm Carton size:58*40*38cm Carton weight: 10kgs



- Heats Up in Just 30 Seconds
- 60 Minutes of Steady Steam Output to Remove Stubborn Wrinkles
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty
- Get More Tank Capacity with our 1.7L
- Accessories: Glove, Ironing Board

| 20 | GP | 40 | GP | 40 | HQ |
|-----|-----|-----|------|-----|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 340 | 680 | 725 | 1450 | 835 | 1670 |



LT-300S

Rated Voltage:220-240V 50/60Hz 2000w Color: White or customized Product size: 24*24*31cm Water Tank: 2.5L Product N.W :5.6kgs Steam Flow: 30g/min Length of Power Cord:1.5m Length of adjustable aluminum tube:1.3m Length of steam hose:1.32m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 45*31.5*38cm Carton size:63*46*39cm Carton weight: 12.5kgs



- Heats Up in Just 45 Seconds
- 90 Minutes of Steady Steam Output to Remove Stubborn Wrinkles
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty
- Get More Tank Capacity with our 2.5L
- Accessories: Glove, Ironing Board

| 20 | GP | 40 | GP | 40 | HQ |
|-----|-----|-----|------|-----|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 250 | 500 | 500 | 1000 | 608 | 1216 |



Rated Voltage:220-240V 50/60Hz 2000w Color: Blue or customized Product size: 24*24*31cm Water Tank: 2.3L Product N.W :5.3kgs Steam Flow: 30g/min Length of Power Cord:1.5m Length of adjustable aluminum tube:1.3m Length of steam hose:1.32m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 40.5*36*40cm Carton size:74*42*41cm Carton weight: 11.5kgs



- Heats Up in Just 45 Seconds
- 80 Minutes of Steady Steam Output to Remove Stubborn Wrinkles
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty
- Get More Tank Capacity with our 2.3L
- Accessories: Glove, Ironing Board

| 20 | GP | 40 | GP | 40 | HQ |
|-----|-----|-----|-----|-----|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 220 | 440 | 440 | 880 | 535 | 1070 |



LT-400S

Rated Voltage:220-240V 50/60Hz 2000w Color: Red or customized Product size: 24*24*31cm Water Tank: 2.3L Product N.W :5.6kgs Steam Flow: 30g/min Length of Power Cord:1.5m Length of adjustable aluminum tube:1.3m Length of steam hose:1.32m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 41.5*38*40cm Carton size:79*43*41cm Carton weight: 12.5kgs



- Heats Up in Just 45 Seconds
- 80 Minutes of Steady Steam Output to Remove Stubborn Wrinkles
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty
- Get More Tank Capacity with our 2.3L
- Accessories: Glove, Ironing Board

| 20 | GP | 40GP 40HQ | | HQ | |
|-----|-----|-----------|-----|-----|-----|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 202 | 404 | 404 | 808 | 490 | 980 |



Rated Voltage:220-240V 50/60Hz 2000w Color: White or customized Product size: 24*24*31cm Water Tank: 2.3L Product N.W :4.55kgs Steam Flow: 30g/min Length of Power Cord:1.5m Length of adjustable aluminum tube:1.3m Length of steam hose:1.32m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 41*37*37cm Carton size:76*38*42cm Carton weight: 10.0kgs



- Heats Up in Just 45 Seconds
- 80 Minutes of Steady Steam Output to Remove Stubborn Wrinkles
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty
- Get More Tank Capacity with our 2.3L
- Accessories: Glove, Ironing Board

| 20 | GP | 40GP 40HQ | | HQ | |
|-----|-----|-----------|-----|-----|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 230 | 460 | 460 | 920 | 560 | 1120 |



LT-500S

Rated Voltage:220-240V 50/60Hz 2000w Color: White or customized Water Tank: 2.3L Product N.W :5.4kgs Steam Flow: 30g/min Length of Power Cord:1.5m Length of adjustable aluminum tube:1.3m Length of steam hose:1.32m HS code:85164000 One piece/ Gift Box; Two pcs/ Master Carton Gift box size: 43*38.7*40cm Carton size:79*44*41cm Carton weight: 12.0kgs •



- Heats Up in Just 45 Seconds
- 80 Minutes of Steady Steam Output to Remove Stubborn Wrinkles •
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty •
- Get More Tank Capacity with our 2.3L •
- Accessories: Glove, Ironing Board •

| 20 | GP | 40GP 40HQ | | HQ | |
|-----|-----|-----------|-----|-----|-----|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 200 | 400 | 400 | 800 | 490 | 980 |





Rated Voltage:220-240V 50/60Hz 2000w Color: Pink or customized Water Tank: 1.2L Product N.W :3.9kgs Steam Flow: 30g/min Length of Power Cord:1.5m Length of adjustable aluminum tube:1.3m Length of steam hose:1.32m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 42*31*33.5cm Carton size:64*43*35cm Carton weight: 9.0kgs



- Heats Up in Just 45 Seconds •
- 40 Minutes of Steady Steam Output to Remove Stubborn Wrinkles •
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty •
- Get More Tank Capacity with our 1.2L •
- Accessories: Glove, Ironing Board •

| 20 | GP | 40 | GP | 40 | HQ |
|-----|-----|-----|------|-----|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 290 | 580 | 580 | 1160 | 704 | 1408 |



LT-600S

Rated Voltage:220-240V 50/60Hz 2000w Color: Plnk or customized Water Tank: 1.2L Product N.W :4.0kgs Length of Power Cord:1.5m Length of adjustable aluminum tube:1.3m Length of steam hose:1.32m HS code:85164000 One piece/ Gift Box ; Two pcs/ Master Carton Gift box size: 46*31*33.5cm Carton size:64*48*36cm Carton weight: 9.0kgs



- Heats Up in Just 45 Seconds
- 40 Minutes of Steady Steam Output to Remove Stubborn Wrinkles
- Adjustable Telescopic Pole Adds Extra Convenience for Use and Storage
- Automatically Shuts Off Once the Water Tank is Empty
- Get More Tank Capacity with our 1.2L
- Accessories: Glove, Ironing Board

| 20GP | | 40GP | | 40HQ | |
|------|-----|------|------|------|------|
| CTN | PCS | CTN | PCS | CTN | PCS |
| 254 | 508 | 508 | 1016 | 616 | 1232 |



